

Product Code	Carton Dimension	Unit Weight (Kg)	Load Capacity (Kg)
01.6.0600	925 x 665 x 183	24.25	150
01.6.0900	980 x 665 x 130	31.57	190
01.6.1200	1280 x 665 x 130	40.18	320
01.6.1500	1580 x 665 x 130	48.2	360
01.6.1800	1880 x 665 x 130	60.37	400
01.6.2100	2180 x 665 x 130	68.45	440
01.6.2400	2480 x 656 x 130	77.32	480
01.7.0600	925 x 765 x 183	27.21	160
01.7.0900	980 x 765 x 130	35.07	200
01.7.1200	1280 x 765 x 130	40.48	320
01.7.1500	1580 x 765 x 130	54.55	360
01.7.1800	1880 x 765 x 130	67.7	400
01.7.2100	2180 x 765 x 130	77.5	440
01.7.2400	2480 x 765 x 130	86.7	480
01.9.1200	1270 x 950 x 115	90.8	320
01.9.1500	1570 x 950 x 115	64.23	360
01.9.1800	1870 x 950 x 115	80.36	400
<b>01.9.2100</b>	2170 x 950 x 115	91.5	440
<b>01.9.2400</b>	2470 x 950 x 115	103	480
02.6.0300	965 x 656 x 183	16.78	60
02.6.0450	965 x 665 x 183	20.14	130
02.6.0600	965 x 665 x 183	25.1	140
02.6.0900	980 x 656 x 183	32.82	180
02.6.1200	1280 x 665 x 183	41.52	320
02.6.1500	1580 x 665 x 183	50.27	360
02.6.1800	1880 x 665 x 183	62.72	400
02.6.2100	2180 x 665 x 183	70.88	440
02.6.2400	2480 x 665 x 183	79.94	480
02.7.0300	965 x 765 x 233	19.48	130
02.7.0450	965 x 765 x 233	24.3	140
<b>02.7.0600MS (Mixer Stand)</b>	965 x 765 x 233	27.55	150
<b>02.7.0600</b>	965 x 765 x 233	30.26	150
02.7.0900	980 x 765 x 233	37.14	180
02.7.1200	1280 x 765 x 233	51.11	320
02.7.1500	1580 x 765 x 233	60.9	360
02.7.1800	1880 x 765 x 233	75.54	400
02.7.2100	2180 x 765 x 233	87.35	440
02.7.2400	2480 x 756 x 233	97.18	480
03.6.0600	925 x 665 x 130	26.15	150

Product Code	Carton Dimension	Unit Weight (Kg)	Load Capacity (Kg)
03.6.0900	980 x 665 x 130	33.05	190
03.6.1200	1280 x 665 x 130	42.33	320
03.6.1500	1580 x 665 x 130	49.62	360
03.6.1800	1880 x 656 x 130	63.41	400
03.6.2100	2180 x 656 x 130	71.17	440
<b>03.6.2400</b>	2480 x 656 x 130	79.09	480
<b>03.7.0600</b>	925 x 765 x 130	28.8	160
03.7.0900	925 x 765 x 130	36.89	200
03.7.1200	1280 x 765 x 130	46.46	320
03.7.1500	1580 x 765 x 130	56.49	360
03.7.1800	1880 x 765 x 130	70.29	400
03.7.2100	2180 x 765 x 130	79.52	440
03.7.2400	2480 x 765 x 130	90.26	480
04.6.0900	965 x 965 x 183	44.38	350
04.7.0900	965 x 965 x 233	51.13	350
05.6.0600	655 x 655 x 450	23.53	40
05.6.0900	865 x 665 x 450	27.51	80
05.6.1200	1265 x 665 x 450	33.31	120
05.6.1500	1565 x 656 x 450	37.37	160
05.6.1800	1865 x 656 x 450	44.12	200
05.6.2100	2165 x 656 x 450	48.74	240
05.7.0600	655 x 755 x 515	26.4	40
05.7.0900 PW	900 x 700 x 900	30.63	40
05.7.1200	1265 x 755 x 515	35.57	120
05.7.1500	1565 x 755 x 515	39.42	160
05.7.1800	1865 x 755 x 515	50.6	200
05.7.2100	2165 x 755 x 515	55.37	240
<b>05.SH.6.0600</b>	965 x 650 x 168	20	100
<b>05.SH.7.0600</b>	965 x 750 x 218	22	120
06.6.1200	1265 x 665 x 450	36.42	80
06.6.1500	1565 x 665 x 450	41.06	80
06.6.1800	1865 x 655 x 450	48.91	120
06.6.2100	2165 x 655 x 450	50.76	160
06.6.2400	2465 x 655 x 450	56.52	160
06.7.1200	1265 x 765 x 510	39.65	80
06.7.1500	1565 x 765 x 510	44.41	80
06.7.1800	1865 x 765 x 510	53.53	120
06.7.2100	2165 x 765 x 510	58.2	160
06.7.2400	2465 x 765 x 510	62.5	160
07.6.900	980 x 655 x 195	-	90
07.6.1200	1280 x 655 x 195	28.86	90
07.6.1500	1580 x 665 x 195	33.36	150
07.6.1650	1720 x 665 x 195	37.53	150
07.6.1800	1800 x 600 x 195	38.38	180
07.6.2100	2100 x 600 x 195	47.43	180
07.7.900	980 x 765 x 195	-	90

Product Code	Carton Dimension	Unit Weight (Kg)	Load Capacity (Kg)
07.7.1200	1280 x 765 x 195	33.6	90
07.7.1500	1580 x 765 x 195	37.47	15
07.7.1650	1720 x 765 x 195	42.18	150
07.7.1800	1880 x 760 x 340	43.09	180
07.7.2100	2180 x 760 x 340	53.75	180
08.6.900	965 x 665 x 450	-	50
08.6.1200	1265 x 665 x 450	30.3	50
08.6.1500	1565 x 665 x 450	35.96	50
08.6.1650	1715 x 665 x 450	37.06	90
08.6.1800	1880 x 670 x 460	39.61	90
08.6.2100	2180 x 670 x 460	47.53	130
08.7.900	965 x 765 x 450	-	50
08.7.1200	1265 x 765 x 450	35.06	50
08.7.1500	1565 x 765 x 450	39.97	90
08.7.1650	1715 x 765 x 450	40.85	90
08.7.1800	1880 x 765 x 560	43.52	130
08.7.2100	2180 x 765 x 560	53.45	130
09.6.1650.DB	1715 x 665 x 460	40.52	90
09-6-1800	1880 x 665 x 560	44.05	90
09.7.1650.DB	1715 x 765 x 570	46.32	90
09.7.1800	1880 x 765 x 560	48.69	90
<b>KIT A</b>	770 x 300 x 65	3	-
<b>KIT B</b>	770 x 300 x 65	4.4	-
10.0600	645 x 325 x 115	4.53	60
10.0900	945 x 325 x 115	5.88	80
10.1200	1245 x 325 x 115	7.12	100
10.1500	1545 x 325 x 115	8.61	120
10.1800	1845 x 325 x 115	10.54	120
10.2100	2145 x 325 x 115	11.61	120
10.2400	2445 x 325 x 115	13.59	120
11.0600	645 x 140 x 115	8.76	60
11.0900	945 x 140 x 115	4.75	80
11.1200	1245 x 140 x 115	5.82	100
11.1500	1545 x 140 x 115	7.05	120
11.1800	1845 x 140 x 115	8.96	120
11.2100	2145 x 140 x 115	9.94	120
11.2400	2445 x 140 x 115	11.79	120
12.0600	670 x 320 x 80	8	60
12.0900	940 x 310 x 60	11.43	60
12.1200	1255 x 325 x 105	14.45	60
12.1500	1555 x 325 x 105	17.43	60
12.1800	1855 x 325 x 105	26.42	60
12.2100	2155 x 325 x 105	24.65	60
12.2400	2450 x 330 x 65	28.07	60
13.0600	860 x 430 x 100	15.5	60
13.0900	940 x 310 x 90	21.55	60

Product Code	Carton Dimension	Unit Weight (Kg)	Load Capacity (Kg)
13.1200	1255 x 325 x 105	27.45	60
13.1500	1555 x 325 x 105	33.3	60
13.1800	1855 x 325 x 105	41.03	60
13.2100	2155 x 325 x 105	46.14	60
13.2400	2450 x 330 x 100	53.53	60
14	815 x 515 x 1055	14.96	80
15	815 x 555 x 1055	19.9	120
16.2/1	1535 x 715 x 125	26.73	20 Kg Per Tier
16.1/1	1535 x 595 x 125	23.33	20 Kg Per Tier
16.1/1 LH	730 x 600 x 120	15.99	20 Kg Per Tier
16.BT	460 x 625 x 1800	28.77	20 Kg Per Tier
16.BTI	520 x 650 x 1800	30.35	20 Kg Per Tier
17.09	930 x 540 x 200	26.36	240
17.12	1230 x 540 x 200	33.26	320
17.15	1530 x 540 x 200	40.46	360
17-DR-0900	900 x 450 x 150	7.5	240
17-DR-1200	1200 x 450 x 150	9.5	320
17-DR-1500	1500 x 450 x 150	11.5	360
<b>17-DF-0900</b>	925 x 650 x 490	42.38	240
<b>17-DF-1200</b>	1225 x 650 x 490	58.69	320
18.0900	1565 x 665 x 183	36.09	180
18.7.0900	1565 x 765 x 233	49.17	180
18.BS	1560 x 860 x 280	52.9	180
18.WD	1560 x 910 x 320	54.4	180
19.GN	605 x 490 x 260	12.28	-
19.1	510 x 500 x 245	12.06	-
19.2	515 x 515 x 445	22.05	-
19.3	675 x 505 x 505	30.95	-
<b>20.SBC</b>	540 x 510 x 50	5.11	-
21.6.0300	530 x 540 x 40	2	30
21.6.0450	530 x 540 x 40	4.6	30
21.6.0600	541 x 541 x 50	5.5	60
21.6.0900	941 x 541 x 50	7.3	60
21.6.1200	1241 x 541 x 50	9.87	90
21.6.1500	1541 x 541 x 50	12.28	90
21.6.1800	1841 x 541 x 50	15.81	120
21.6.2100	2141 x 541 x 50	17.81	120
21.6.2400	2141 x 541 x 50	20.27	120
<b>21.7.0300</b>	230 x 640 x 40	2.65	60
<b>21.7.0450</b>	390 x 650 x 40	3.5	60
<b>21.7.0600</b>	541 x 641 x 50	6.14	60
21.7.0900	941 x 541 x 50	8.35	120
21.7.1200	1241 x 541 x 50	10.94	120
21.7.1500	1541 x 541 x 50	13.57	120
21.7.1800	1841 x 541 x 50	17.75	150
21.7.2100	2141 x 541 x 50	20.39	150

Product Code	Carton Dimension	Unit Weight (Kg)	Load Capacity (Kg)
21.7.2400	2141 x 541 x 50	23.16	150
21.6.LBUS.1800	880 x 510 x 40	6.88	150
21.6.LBUS.2100	1020 x 510 x 40	7.98	150
21.6.LBUS.2400	1190 x 510 x 40	9.24	150
21.7.LBUS.1800	890 x 620 x 40	7.93	150
21.7.LBUS.2100	1040 x 620 x 40	9.22	150
21.7.LBUS.2400	1200 x 610 x 40	10.49	150
<b>22.6.0600</b>	605 x 605 x 259	1.42	-
<b>22.6.0900</b>	905 x 605 x 259	1.5	-
22.6.1200	1205 x 605 x 259	2.05	-
22.6.1500	1505 x 605 x 259	2.88	-
22.6.1800	1805 x 605 x 259	3	-
22.6.1800C	1805 x 605 x 259	3.09	-
22.6.2100	2105 x 605 x 259	3.26	-
<b>22.6.2100C</b>	2020 x 520 x 40	3.49	-
22.6.2400	2405 x 605 x 259	3.5	-
22.7.0600	605 x 705 x 259	1.79	-
22.7.0900	905 x 705 x 259	1.78	-
22.7.1200	1205 x 705 x 259	2.18	-
22.7.1500	1505 x 705 x 259	2.35	-
22.7.1800	1805 x 705 x 259	2.43	-
<b>22.7.1800C</b>	1820 x 620 x 40	2.43	-
22.7.2100	2105 x 705 x 259	3.54	-
<b>22.7.2100C</b>	2020 x 520 x 40	3.5	-
22.7.2400	2330 x 620 x 40	3.61	-
23.0600	680 x 665 x 190	34.68	140
23.0900	980 x 656 x 183	48.91	180
23.1200	1280 x 656 x 183	48.91	210
24.6.2400	2465 x 665 x 460	62.75	200
24.7.2400	2465 x 765 x 460	66.94	200
25-S-17-0900	915 x 540 x 50	6.5	80
25-S-17-1200	1215 x 540 x 50	8.5	90
25-S-17-1500	1515 x 540 x 50	10.5	100
26.BIN	575 x 535 x 735	20.88	20
27.RAT	795 x 725 x 195	25	-
27.IRAT	900 x 700 x 200	25	-
27.E32 TURBOFAN	795 x 725 x 195	25	-
27.62	1205 x 875 x 135	33.33	-
27.61	1205 x 875 x 135	24.08	-
27.MULTIMAXX	940 x 670 x 180	25	-
28.450	635 x 465 x 75	5.77	-
28.580	635 x 595 x 75	7.08	-
29.0900	965 x 445 x 665	43.93	-
29.1200	1265 x 445 x 665	54.54	-
30.VET	950 x 650 x 430	-	-
31.0300BS	980 x 370 x 290	25	30

Product Code	Carton Dimension	Unit Weight (Kg)	Load Capacity (Kg)
31.0450BS	925 x 515 x 290	25.61	30
31.0600BS	965 x 865 x 285	32.53	50
31.0900BS	965 x 915 x 325	43	150
31.0300WD	985 x 340 x 335	19.39	30
31.0450WD	985 x 495 x 335	25	30
31.0600WD	965 x 915 x 325	32.85	50
31.0900WD	965 x 915 x 325	44	150
32.0600DPK	615 x 615 x 135	14	-
32.0900DPK	940 x 615 x 135	18.6	-
32.1200DPK	1240 x 615 x 135	24.35	-
32.1500DPK	1540 x 615 x 135	30.4	-
<b>32.1800DPK</b>	1840 x 615 x 135	38.36	-
<b>32.2100DPK</b>	2165 x 615 x 135	44.3	-
32.2400DPK	2465 x 615 x 135	44.88	-
32.CCK.6.0900	940 x 615 x 135	15.57	-
32.CCK.6.1200	1240 x 615 x 135	17	-
32.CCK.6.1500	1540 x 615 x 135	20	-
32.CCK.6.1800	1840 x 615 x 135	22	-
32.CCK.6.2100	2165 x 615 x 135	24	-
32.CCK.6.2400	2465 x 615 x 135	26	-
32.CCK.7.0900	940 x 615 x 135	16.96	-
32.CCK.7.1200	1240 x 615 x 135	18.3	-
32.CCK.7.1500	1540 x 615 x 135	20	-
32.CCK.7.1800	1840 x 615 x 135	23.62	-
32.CCK.7.2100	2165 x 615 x 135	25	-
32.CCK.7.2400	2465 x 615 x 135	27.86	-
32.DPK.MS.0600	615 x 615 x 80	3.55	10
32.DPK.MS.0900	940 x 615 x 80	4.86	10
32.DPK.MS.1200	1240 x 615 x 80	6.52	10
32.DPK.MS.1500	1540 x 615 x 80	8.2	15
32.DPK.MS.1800	1840 x 615 x 80	10.02	15
32.DPK.MS.2100	2140 x 615 x 80	11.43	20
32.DPK.MS.2400	2440 x 615 x 80	13.23	20
32.DPK.MS.7.0600	615 x 715 x 80	4.33	10
32.DPK.MS.7.0900	940 x 715 x 80	5.95	10
32.DPK.MS.7.1200	1240 x 715 x 80	7.9	10
32.DPK.MS.7.1500	1540 x 715 x 80	9.98	15
32.DPK.MS.7.1800	1840 x 715 x 80	11.97	15
32.DPK.MS.7.2100	2140 x 715 x 80	22	20
32.DPK.MS.7.2400	2440 x 715 x 80	24	20
32-DPK-6-EP	635 x 505 x 105	8.66	-
32-DPK-7-EP	635 x 105 x 105	10.06	-
33.SSB	1035 x 115 x 115	4.3	-
34.CL	575 x 505 x 405	17.16	20
35.GDC	655 x 545 x 140	7.95	-
36.DBC	585 x 545 x 120	8.26	80

Product Code	Carton Dimension	Unit Weight (Kg)	Load Capacity (Kg)
36.DBS	880 x 590 x 120	13.53	80
36.DGR	940 x 600 x 120	19.5	160
36.GR	860 x 530 x 90	9.72	80
36.MDBT	1710 x 660 x 120	30	100
37.06	915 x 655 x 140	11.18	20
38.ET	1870 x 750 x 120	31.27	160
40-WS	915 x 615 x 1065	87	160
41-IWS	490 x 500 x 510	11	20
41-IWB	840 x 510 x 440	22.5	30
41-IWBL	715 x 420 x 40	1	-
41-IWSL	340 x 340 x 40	1	-
41-IWIS	300 x 180 x 100	11	-
41-IWIB	380 x 240 x 100	11	-
42-CS-7-900	970 x 900 x 240	46.5	-
42-CS-7-1200	1270 x 900 x 260	57	-